

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[523]

LXVII. An Account of the extraordinary Heat of the Weather in July 1757, and of the Effects of it. In a Letter from John Huxham, M. D. F. R. S. to Wm. Watson, M. D. F. R. S.

Read Feb. 2, I Find by your letter, that the heat at London was not so great in the beginning of July 1757, as at Plymouth by two or three degrees of Fahrenheit's thermometer. We had again, after much rain at the close of the month, and in the beginning of August, excessive heat; viz. on the 8th, 9th, and 10th of August; which mounted the mercury in that thermometer to 85; nay, on the 9th, to near 86. I never before remember the mercury in that thermometer to exceed 84; and that is even here a very extraordinary degree of heat.

The consequences of this extremely hot season were hæmorrhages from several parts of the body; the nose especially in men and children, and the uterus in women. Sudden and violent pains of the head, and vertigo, profuse sweats, great debility and oppression of the spirits, affected many. There were putrid severs in great abundance; and a vast quantity of sluxes of the belly both bilious and bloody, with which the severs also were commonly attended. These fevers were always ushered in by severe pains of the head, back, and stomach; vomitings of green and sometimes of black bile, with vast oppression of the pracordia, continual anxiety, and X x x 2

[524]

want of fleep. These were soon succeeded by tremores tendinum, subsultus, delirium, or stupor. The pulse was commonly very quick, but seldom tense or firong; was fometimes heavy and undose. The blood oftentimes florid, but loofe; sometimes livid, very rarely fizy: in some however, at the very attack, it was pretty dense and florid. The tongue was generally foul, brown, and fometimes blackish; and towards the crisis often dry. The urine was commonly high coloured, and in finall quantity; frequently turbid, and towards the end deposed a great deal of lateritious fediment. A vast number were feized with this fever, during, and foon after, the excessive heats; tho' but few died in proportion. Long and great heats always very much exalt the acrimony of the bilious humours; of which we had this fummer abundant instances.

Bleeding early was generally beneficial; profuse, always hurtful, especially near the state of the fever.

of a large Animal, dug up at Stonessield, near Woodstock, in Oxfordshire. In a Letter to Mr. Peter Collinson, F. R. S. from Mr. Joshua Platt.

Dear Sir,

BOUT three years ago I fent your fome vertebræ of an enormous fize, which were found in the flate-stone pit at Stonessield, near Woodstock, in this county.

I have